



# WAVE

LIGHTING



877.870.WAVE (9283) • [www.wavelighting.com](http://www.wavelighting.com)

## COMPLETE GLOBE FIXTURE WITH POST FITTER

• Cast Aluminum or Polycarbonate Fitters Available



### GUIDE: 2002SM-G13-WH

ITEM #	GLOBE	LIGHT SOURCE	FITTER	OPTION
2001*-12" 2002*-14" 2003*-16" 2004-18"	<b>POLYCARBONATE</b> Opal <b>CL</b> -Clear <b>SM</b> -Smoke <b>PR</b> -Clear Prismatic	<b>INCANDESCENT</b> See "INCANDESCENT MAX WATTAGES" table for info  <b>GU24 FLUORESCENT</b> <b>G13</b> -(1) 13W GU24 ☆ <b>G18</b> -(1) 18W GU24 ☆ <b>G26</b> -(1) 27W GU24 (12"-18" only) ☆ <b>G32</b> -(1) 32W GU24 (12"-18" only) ☆	<b>POWDERCOATED CAST ALUMINUM</b> Black <b>BZ</b> -Bronze <b>WH</b> -White  <b>POLYCARBONATE</b> <b>BP</b> -Black <b>WP</b> -White	<b>R-Type V Glass Refractor</b> (See Page 56 for Light Distribution)

### INCANDESCENT MAX WATTAGES

DIA	POLYCARBONATE	ACRYLIC
10"	-	75W
12"	100W	100W
14"	150W	150W
16"	150W	150W
18"	150W	150W

\*Not available in Clear Prismatic

**HID** SEE PAGE 36 FOR H.I.D. MODELS



L-OPAL



CL-CLEAR



SM-SMOKE



PR-CLEAR PRISMATIC

Globes have 5 1/4" Neckless Opening See Page 57 for Replacements



10"  
12"  
14"  
FITTER  
I.D. = 3"



16"  
FITTER  
I.D. = 3"



18"  
FITTER  
I.D. = 3"

## COMPLETE ACORN FIXTURE WITH POST FITTER

• Cast Aluminum or Polycarbonate Fitters Available




### GUIDE: 2017CL-G32-BP

ITEM #	ACORN	LIGHT SOURCE	FITTER	OPTION
2017 2018	<b>POLYCARBONATE</b> <b>CL</b> -Clear Textured	<b>INCANDESCENT</b> (1) 150W MAX Medium Base  <b>GU24 FLUORESCENT</b> <b>G13</b> -(1) 13W GU24 ☆ <b>G18</b> -(1) 18W GU24 ☆ <b>G26</b> -(1) 27W GU24 ☆ <b>G32</b> -(1) 32W GU24 ☆	<b>POWDERCOATED CAST ALUMINUM</b> Black <b>BZ</b> -Bronze <b>WH</b> -White  <b>POLYCARBONATE</b> <b>BP</b> -Black <b>WP</b> -White	<b>R-Type V Glass Refractor</b> (See Page 56 for Light Distribution)
8017 8018	<b>ACRYLIC</b> <b>CL</b> -Clear Textured <b>FA</b> -Frost Textured			
9017 9018	<b>POLYETHYLENE</b> Opal Textured	<b>LED LIGHT SOURCE</b>  <b>120V LIGHTWAVE LED</b> <b>LR12</b> -12W 800lm <b>LR15</b> -15W 1200lm <b>LR22</b> -22W 1800lm	<b>CCT</b> <b>C</b> -4K <b>W</b> -3K	



2017CL




20"

I.D. = 3"



2018CL



19"

I.D. = 3"



SEE PAGE 36 FOR H.I.D. MODELS

Acorns have 5 1/4" Neckless Opening See Page 57 for Replacements



Posts accommodate Photo Control 320 or 688. See page 55. Posts sold separately.

☆ Lamp Included

Specifications subject to change without notice.





**COMPLETE GLOBE FIXTURE WITH ALUMINUM POST FITTER**

**GUIDE: 8003SM-70H**

ITEM #	GLOBE	LIGHT SOURCE	FITTER
2003*-16" 2004-18"	<b>POLYCARBONATE</b> Opal <b>CL</b> -Clear <b>SM</b> -Smoke <b>PR</b> -Clear Prismatic	<b>INTEGRAL BALLAST</b> <b>METAL HALIDE ELECTRONIC, UNIVERSAL 120-277V HPF</b> <b>50MH</b> -(1) 50W 4Kv Medium Base ☆ <b>70MH</b> -(1) 70W 4Kv Medium Base ☆	<b>POWDERCOATED CAST ALUMINUM</b> Black <b>BZ</b> -Bronze <b>WH</b> -White
8003-16" 8004-18"	<b>ACRYLIC</b> Opal <b>CL</b> -Clear <b>SM</b> -Smoke <b>PR</b> -Clear Prismatic	<b>HIGH PRESSURE SODIUM MAGNETIC, 120V HPF</b> <b>35H</b> -(1) 35W 4Kv Medium Base ☆ <b>50H</b> -(1) 50W 4Kv Medium Base ☆ <b>70H</b> -(1) 70W 4Kv Medium Base ☆	

\*Not available in Clear Prismatic



OPAL



CL-CLEAR



SM-SMOKE



PR-CLEAR PRISM.

Globes have 5 1/4" Neckless Opening. See Page 59 for Replacements



16"

FITTER  
I.D. = 3"



18"

FITTER  
I.D. = 3"



**COMPLETE ACORN FIXTURE WITH ALUMINUM POST FITTER**


**GUIDE: 2017CL-50MH**

ITEM #	ACORN	LIGHT SOURCE	FITTER
2017 2018	<b>POLYCARBONATE</b> <b>CL</b> -Clear Textured	<b>INTEGRAL BALLAST</b> <b>METAL HALIDE ELECTRONIC, UNIVERSAL 120-277V HPF</b> <b>50MH</b> -(1) 50W 4Kv Medium Base ☆ <b>70MH</b> -(1) 70W 4Kv Medium Base ☆	<b>POWDERCOATED CAST ALUMINUM</b> Black <b>BZ</b> -Bronze <b>WH</b> -White
8017 8018	<b>ACRYLIC</b> <b>CL</b> -Clear Textured <b>FA</b> -Frost Textured	<b>HIGH PRESSURE SODIUM MAGNETIC, 120V HPF</b> <b>35H</b> -(1) 35W 4Kv Medium Base ☆ <b>50H</b> -(1) 50W 4Kv Medium Base ☆ <b>70H</b> -(1) 70W 4Kv Medium Base ☆	

**2018CL-50MH**




2017CL-50MH



SEE PAGE 32 FOR LED MODELS

Acorns have 5 1/4" Neckless Opening  
See Page 59 for Replacements

☆ Lamp Included



Posts accommodate Photo Control 320 or 688. See page 55. Posts sold separately.

Specifications subject to change without notice.